

Customer:
Vox Nutrition

EA Sample ID: 26EA0305-010
Sample Name: 13072 - Magnesium Glycinate
Sample Type: Powder
Batch/Lot: MGL260212

Date Received:
03/05/2026
Date Completed:
03/09/2026




ETHOS
ANALYTICS

CERTIFICATE OF ANALYSIS

Summary of Results

Analysis Type	Method	Date Tested	Status
Microbiological	Petrifilm/qPCR	03/09/2026	Pass



Serving Size: N/A

Heavy Metal Analysis (USP <233>)

Analyte	Result (ppm)	LOQ (ppm)	LOD (ppm)	Limit (mcg/day)	Pass/Fail
Arsenic	Not Tested	0.01	0.001	15	-
Cadmium	Not Tested	0.003	0.0004	5	-
Lead	Not Tested	0.01	0.001	5	-
Mercury	Not Tested	0.005	0.0005	15	-

Microbiological Analysis (USP <2021>, USP <2022>)

Microbe	Result	Limit	Pass/Fail
Total Aerobic Plate	<20 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass

NOTES:

CFU = Colony Forming Unit
NS = Not Specified
NT = Not Tested

LOQ = Limit of Quantification
LOD = Limit of Detection



Ethos Analytics Laboratory
3020 E Camelback Rd STE 397
Phoenix, AZ 85016
Info@Ethosanalytics.io
www.Ethosanalytics.io
Lic #: 000026LRCND60176649
ISO/IEC 17025 Acc #: 117798



VOX NUTRITION
PRIVATE LABEL SUPPLEMENT MANUFACTURER

Vox Nutrition Quality Sign Off:

Noel Samsum
Laboratory Director
9-Mar-2026

The sample analyzed was inspected and is free from visual mold, mildew, and foreign matter. The testing procedures, equipment calibration, and maintenance are all in accordance with ISO/IEC 17025:2017 standards. The presented report is only applicable to the sample specified above and may not be applied to any similar or identical products. Reports are prohibited from being reproduced with alterations of any kind.